

Supplementary Table 1. Univariate and multivariate Cox regression analyses of success in patients with phakia

Variable	Complete success (20%)			Qualified success (20%)		
	HR	95% CI	<i>p</i> -value	HR	95% CI	<i>p</i> -value
Bleb height at 1 mon						
Model 1	0.843	0.634–1.121	0.239	0.935	0.601–1.455	0.767
Model 2	0.772	0.565–1.055	0.104	0.996	0.613–1.617	0.987
Model 3	0.799	0.585–1.090	0.157	0.982	0.598–1.614	0.944
Bleb extent at 1 mon						
Model 1	0.533	0.369–0.771	0.001*	0.545	0.288–1.033	0.063
Model 2	0.539	0.371–0.784	0.001*	0.543	0.283–1.041	0.066
Model 3	0.545	0.378–0.788	0.001*	0.456	0.227–0.914	0.027*
Bleb height at 3 mon						
Model 1	1.012	0.737–1.392	0.939	0.523	0.305–0.897	0.019*
Model 2	0.899	0.636–1.271	0.546	0.389	0.208–0.728	0.003*
Model 3	0.860	0.592–1.248	0.426	0.352	0.181–0.686	0.002*
Bleb extent at 3 mon						
Model 1	0.522	0.351–0.776	0.001*	0.273	0.140–0.531	<0.001*
Model 2	0.544	0.362–0.818	0.003*	0.255	0.132–0.496	<0.001*
Model 3	0.525	0.352–0.783	0.002*	0.215	0.107–0.433	<0.001*
Bleb height at 6 mon						
Model 1	0.909	0.671–1.232	0.540	0.575	0.364–0.909	0.018*
Model 2	0.760	0.536–1.078	0.124	0.443	0.253–0.776	0.004*
Model 3	0.720	0.510–1.017	0.062	0.444	0.252–0.783	0.005*
Bleb extent at 6 mon						
Model 1	0.983	0.714–1.353	0.918	0.386	0.217–0.685	0.001*
Model 2	1.012	0.731–1.401	0.941	0.345	0.188–0.636	0.001*
Model 3	0.999	0.717–1.391	0.995	0.344	0.182–0.649	0.001*

Model 1, unadjusted univariate analysis; Model 2, adjusted for only age and sex; Model 3, adjusted for age, sex, previous operation history, and diagnosis.

HR = hazard ratio; CI = confidence interval.

*Statistically significant.